



ISO Standards Handbook:

Fasteners and screw threads

Volume 1: Terminology and nomenclature, General reference standards
2001, Ed. 5, 808 p., ISBN 92-67-10344-X

Contents

Part 1 : Terminology and nomenclature

- ISO 1891:1979 Bolts, screws, nuts and accessories — Terminology and nomenclature
ISO 5408:1983 Cylindrical screw threads — Vocabulary

Part 2 : General reference standards

2.1 ISO metric screw threads

- ISO 68-1:1998 ISO general purpose screw threads — Part 1: Basic profile
ISO 261:1998 ISO general purpose metric screw threads — General plan
ISO 262:1998 ISO general purpose metric screw threads — Selected sizes for screws, bolts and nuts
ISO 724:1993 ISO general-purpose metric screw threads — Basic dimensions
ISO 965-1:1998 ISO general purpose metric screw threads — Tolerances — Part 1: Principles and basic data
ISO 965-2:1998 ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose external and internal screw threads — Medium quality
ISO 965-3:1998 ISO general purpose metric screw threads — Tolerances — Part 3: Deviations for constructional threads
ISO 965-4:1998 ISO general purpose metric screw threads — Tolerances — Part 4: Limits of sizes for hot-dip galvanized external screw threads to mate with internal screw threads tapped with tolerance position H or G after galvanizing
ISO 965-5:1998 ISO general purpose metric screw threads — Tolerances — Part 5: Limits of sizes for internal screw threads to mate with hot-dip galvanized external screw threads with maximum size of tolerance position h before galvanizing
ISO 1502:1996 ISO general-purpose metric screw threads — Gauges and gauging

2.2 Technical drawings for screw threads and threaded parts

- ISO 5845-1:1995 Technical drawings — Simplified representation of the assembly of parts with fasteners — Part 1: General principles

ISO 6410-1:1993	Technical drawings — Screw threads and threaded parts — Part 1: General conventions
ISO 6410-2:1993	Technical drawings — Screw threads and threaded parts — Part 2: Screw thread inserts
ISO 6410-3:1993	Technical drawings — Screw threads and threaded parts — Part 3: Simplified representation

2.3 Special screw threads

ISO 1478:1983	Tapping screws thread
----------------------	-----------------------

2.4 Variations of forms, dimensions and designation

ISO 225:1983	Fasteners — Bolts, screws, studs and nuts — Symbols and designations of dimensions
ISO 272:1982	Fasteners — Hexagon products — Widths across flats
ISO 273:1979	Fasteners — Clearance holes for bolts and screws
ISO 885:2000	General purpose bolts and screws — Metric series — Radii under the head
ISO 888:1976	Bolts, screws and studs — Nominal lengths, and thread lengths for general purpose bolts
ISO 3508:1976	Thread run-outs for fasteners with thread in accordance with ISO 261 and ISO 262
ISO 4753:1999	Fasteners — Ends of parts with external metric ISO thread
ISO 4755:1983	Fasteners — Thread undercuts for external metric ISO threads
ISO 4757:1983	Cross recesses for screws
ISO 7378:1983	Fasteners — Bolts, screws and studs — Split pin holes and wire holes
ISO 7721:1983	Countersunk head screws — Head configuration and gauging
ISO 7721-2:1990	Countersunk flat head screws — Part 2: Penetration depth of cross recesses
ISO 8991:1986	Designation system for fasteners
ISO 10664:1999	Hexalobular internal driving feature for bolts and screws

2.5 Tolerances of fasteners

ISO 4759-1:2000	Tolerances for fasteners — Part 1: Bolts, screws, studs and nuts — Product grades A, B and C
ISO 4759-3:2000	Tolerances for fasteners — Part 3: Plain washers for bolts, screws and nuts — Product grades A and C

2.6 General requirements and mechanical properties of fasteners

ISO 898-1:1999	Mechanical properties of fasteners made of carbon steel and alloy steel — Part 1: Bolts, screws and studs
ISO 898-2:1992	Mechanical properties of fasteners — Part 2: Nuts with specified proof load values — Coarse thread

ISO 898-5:1998	Mechanical properties of fasteners made of carbon steel and alloy steel — Part 5: Set screws and similar threaded fasteners not under tensile stresses
ISO 898-6:1994	Mechanical properties of fasteners — Part 6: Nuts with specified proof load values — Fine pitch thread
ISO 898-7:1992	Mechanical properties of fasteners — Part 7: Torsional test and minimum torques for bolts and screws with nominal diameters 1 mm to 10 mm
ISO 2320:1997	Prevailing torque type steel hexagon nuts — Mechanical and performance properties
ISO 2702:1992	Heat-treated steel tapping screws — Mechanical properties
ISO 3506-1:1997	Mechanical properties of corrosion-resistant stainless-steel fasteners — Part 1: Bolts, screws and studs
ISO 3506-2:1997	Mechanical properties of corrosion-resistant stainless-steel fasteners — Part 2 : Nuts
ISO 3506-3:1997	Mechanical properties of corrosion-resistant stainless steel fasteners — Part 3: Set screws and similar fasteners not under tensile stress
ISO 4042:1999	Fasteners — Electroplated coatings
ISO 6157-1:1988	Fasteners — Surface discontinuities — Part 1: Bolts, screws and studs for general requirements
ISO 6157-2:1995	Fasteners — Surface discontinuities — Part 2: Nuts
ISO 6157-3:1988	Fasteners — Surface discontinuities — Part 3: Bolts, screws and studs for special requirements
ISO 7085:1999	Mechanical and performance requirements of case hardened and tempered metric thread rolling screws
ISO 8839:1986	Mechanical properties of fasteners — Bolts, screws, studs and nuts made of non-ferrous metals
ISO 8992:1986	Fasteners — General requirements for bolts, screws, studs and nuts
ISO 10666:1999	Drilling screws with tapping screw thread — Mechanical and functional properties
ISO 10683:2000	Fasteners — Non-electrolytically applied zinc flake coatings

2.7 Testing and acceptance inspection

ISO 3269:2000	Fasteners — Acceptance inspection
ISO 3800:1993	Threaded fasteners — Axial load fatigue testing — Test methods and evaluation of results
ISO 8749:1986	Pins and grooved pins — Shear test
ISO 10484:1997	Widening test on nuts
ISO 10485:1991	Cone proof load test on nuts
ISO 15330:1999	Fasteners — Preloading test for the detection of hydrogen embrittlement — Parallel bearing surface method



ISO Standards Handbook:

Fasteners and screw threads

Volume 2: Product standards

2001, Ed. 5, 1094 p., ISBN 92-67-10345-8

Contents

Part 3 : Product standards

3.1 External drive hexagon head bolts and screws

ISO 4014:1999	Hexagon head bolts — Product grades A and B
ISO 4015:1979	Hexagon head bolts — Product grade B — Reduced shank (shank diameter approximately equal to pitch diameter)
ISO 4016:1999	Hexagon head bolts — Product grade C
ISO 4017:1999	Hexagon head screws — Product grades A and B
ISO 4018:1999	Hexagon head screws — Product grade C
ISO 4162:1990	Hexagon flange bolts — Small series
ISO 7411:1984	Hexagon bolts for high-strength structural bolting with large width across flats (thread lengths according to ISO 888) — Product grade C — Property classes 8.8 and 10.9
ISO 7412:1984	Hexagon bolts for high-strength structural bolting with large width across flats (short thread length) — Product grade C — Property classes 8.8 and 10.9
ISO 8676:1999	Hexagon head screws with metric fine pitch thread — Product grades A and B
ISO 8765:1999	Hexagon head bolts with metric fine pitch thread — Product grades A and B
ISO 15071:1999	Hexagon bolts with flange — Small series — Product grade A
ISO 15072:1999	Hexagon bolts with flange with metric fine pitch thread — Small series — Product grade A

3.2 Square neck bolts

ISO 8677:1986	Cup head square neck bolts with large head — Product grade C
ISO 8678:1988	Cup head square neck bolts with small head and short neck — Product grade B

3.3 Hexagon socket head screws

ISO 4762:1997	Hexagon socket head cap screws
ISO 7379:1983	Hexagon socket head shoulder screws
ISO 7380:1997	Hexagon socket button head screws

ISO 10642:1997 Hexagon socket countersunk head screws

3.4 Hexalobular socket head screws

ISO 14579:2001 Hexalobular socket head cap screws
ISO 14580:2001 Hexalobular socket cheese head screws
ISO 14583:2001 Hexalobular socket pan head screws
ISO 14584:2001 Hexalobular socket raised countersunk head screws

3.5 Slotted head screws

ISO 1207:1992 Slotted cheese head screws — Product grade A
ISO 1580:1994 Slotted pan head screws — Product grade A
ISO 2009:1994 Slotted countersunk flat head screws (common head style) — Product grade A
ISO 2010:1994 Countersunk slotted raised head screws (common head style) — Product grade A
ISO 7048:1998 Cross recessed cheese head screws

3.6 Cross-recessed head screws

ISO 7045:1994 Pan head screws with type H or type Z cross recess — Product grade A
ISO 7046-1:1994 Countersunk flat head screws (common head style) with type H or type Z cross recess — Product grade A — Part 1: Steel of property class 4.8
ISO 7046-2:1990 Cross-recessed countersunk flat head screws (common head style) — Grade A — Part 2: Steel of property class 8.8, stainless steel and non-ferrous metals
ISO 7047:1994 Countersunk raised head screws (common head style) with type H or type Z cross recess — Product grade A

3.7 Screw and washer assemblies

ISO 10644:1998 Screw and washer assemblies with plain washers — Washer hardness classes 200 HV and 300 HV

3.8 Set screws

ISO 2342:1972 Slotted headless screws — Metric series
ISO 4026:1993 Hexagon socket set screws with flat point
ISO 4027:1993 Hexagon socket set screws with cone point
ISO 4028:1993 Hexagon socket set screws with dog point
ISO 4029:1993 Hexagon socket set screws with cup point
ISO 4766:1983 Slotted set screws with flat point
ISO 7434:1983 Slotted set screws with cone point
ISO 7435:1983 Slotted set screws with long dog point
ISO 7436:1983 Slotted set screws with cup point

3.9 Weld studs

ISO 13918:1998 Welding — Studs and ceramic ferrules for arc stud welding

3.10 Tapping screws

ISO 1479:1983 Hexagon head tapping screws
ISO 1481:1983 Slotted pan head tapping screws
ISO 1482:1983 Slotted countersunk (flat) head tapping screws (common head style)
ISO 1483:1983 Slotted raised countersunk (oval) head tapping screws (common head style)
ISO 7049:1983 Cross recessed pan head tapping screws
ISO 7050:1983 Cross recessed countersunk (flat) head tapping screws (common head style)
ISO 7051:1983 Cross recessed raised countersunk (oval) head tapping screws
ISO 7053:1992 Hexagon washer head tapping screws
ISO 10509:1992 Hexagon flange head tapping screws
ISO 10510:1999 Tapping screw and washer assemblies with plain washers
ISO 14585:2001 Hexalobular socket pan head tapping screws
ISO 14586:2001 Hexalobular socket countersunk head tapping screws
ISO 14587:2001 Hexalobular socket raised countersunk (oval) head tapping screws

3.11 Drilling screws

ISO 15480:1999 Hexagon washer head drilling screws with tapping screw thread
ISO 15481:1999 Cross recessed pan head drilling screws with tapping screw thread
ISO 15482:1999 Cross recessed countersunk head drilling screws with tapping screw thread
ISO 15483:1999 Cross recessed raised countersunk head drilling screws with tapping screw thread

3.12 Hexagon nuts

ISO 4032:1999 Hexagon nuts, style 1 — Product grades A and B
ISO 4033:1999 Hexagon nuts, style 2 — Product grades A and B
ISO 4034:1999 Hexagon nuts — Product grade C
ISO 4035:1999 Hexagon thin nuts (chamfered) — Product grades A and B
ISO 4036:1999 Hexagon thin nuts (unchamfered) — Product grade B
ISO 4161:1999 Hexagon nuts with flange — Coarse thread
ISO 4775:1984 Hexagon nuts for high-strength structural bolting with large width across flats — Product grade B — Property classes 8 and 10
ISO 7413:1984 Hexagon nuts for structural bolting, style 1, hot-dip galvanized (oversize tapped) — Product grades A and B — Property classes 5, 6 and 8
ISO 7414:1984 Hexagon nuts for structural bolting with large width across flats, style 1 — Product grade B — Property class 10
ISO 7417:1984 Hexagon nuts for structural bolting — Style 2, hot-dip galvanized (oversize

tapped) — Product grade A — Property class 9

ISO 8673:1999	Hexagon nuts, style 1, with metric fine pitch thread — Product grades A and B
ISO 8674:1999	Hexagon nuts, style 2, with metric fine pitch thread — Product grades A and B
ISO 8675:1999	Hexagon thin nuts (chamfered) with metric fine pitch thread — Product grades A and B
ISO 10663:1999	Hexagon nuts with flange — Fine pitch thread

3.13 Prevailing torque type nuts

ISO 7040:1997	Prevailing torque type hexagon nuts (with non-metallic insert), style 1 — Property classes 5, 8 and 10
ISO 7041:1997	Prevailing torque type hexagon nuts (with non-metallic insert), style 2 — Property classes 9 and 12
ISO 7042:1997	Prevailing torque type all-metal hexagon nuts, style 2 — Property classes 5, 8, 10 and 12
ISO 7043:1997	Prevailing torque type hexagon nuts with flange (with non-metallic insert) — Product grades A and B
ISO 7044:1997	Prevailing torque type all-metal hexagon nuts with flange — Product grades A and B
ISO 7719:1997	Prevailing torque type all-metal hexagon nuts, style 1 — Property classes 5, 8 and 10
ISO 7720:1997	Prevailing torque type all-metal hexagon nuts, style 2 — Property class 9
ISO 10511:1997	Prevailing torque type hexagon thin nuts (with non-metallic insert)
ISO 10512:1997	Prevailing torque type hexagon nuts (with non-metallic insert), style 1, with metric fine pitch thread — Property classes 6, 8 and 10
ISO 10513:1997	Prevailing torque type all-metal hexagon nuts, with metric fine pitch thread — Property classes 8, 10 and 12
ISO 12125:1997	Prevailing torque type hexagon nuts with flange (with non-metallic insert) with metric fine pitch thread — Product grades A and B
ISO 12126:1997	Prevailing torque type all-metal hexagon nuts with flange with metric fine pitch thread — Product grades A and B

3.14 Washers

ISO 887:2000	Plain washers for metric bolts, screws and nuts for general purposes — General plan
ISO 7089:2000	Plain washers — Normal series — Product grade A
ISO 7090:2000	Plain washers, chamfered — Normal series — Product grade A
ISO 7091:2000	Plain washers — Normal series — Product grade C
ISO 7092:2000	Plain washers — Small series — Product grade A
ISO 7093-1:2000	Plain washers — Large series — Part 1: Product grade A
ISO 7093-2:2000	Plain washers — Large series — Part 2: Product grade C
ISO 7094:2000	Plain washers — Extra large series — Product grade C

ISO 7094:2000 / Cor.1:2000	Technical Corrigendum 1:2000 to ISO 7094:2000
ISO 7415:1984	Plain washers for high-strength structural bolting, hardened and tempered
ISO 7416:1984	Plain washers, chamfered, hardened and tempered for high-strength structural bolting
ISO 8738:1986	Plain washers for clevis pins — Product grade A
ISO 10669:1999	Plain washers for tapping screw and washer assemblies — Normal and large series — Product grade A
ISO 10673:1998	Plain washers for screw and washer assemblies — Small, normal and large series — Product grade A

3.15 Pins

ISO 1234:1997	Split pins
ISO 2338:1997	Parallel pins, of unhardened steel and austenitic stainless steel
ISO 2339:1986	Taper pins, unhardened
ISO 2340:1986	Clevis pins without head
ISO 2341:1986	Clevis pins with head
ISO 8733:1997	Parallel pins with internal thread, of unhardened steel and austenitic stainless steel
ISO 8734:1997	Parallel pins, of hardened steel or martensitic stainless steel (Dowel pins)
ISO 8735:1997	Parallel pins with internal thread, of hardened steel or martensitic stainless steel
ISO 8736:1986	Taper pins with internal thread, unhardened
ISO 8737:1986	Taper pins with external thread, unhardened
ISO 8739:1997	Grooved pins — Full-length parallel grooved, with pilot
ISO 8740:1997	Grooved pins — Full length parallel grooved, with chamfer
ISO 8741:1997	Grooved pins — Half-length reverse taper grooved
ISO 8742:1997	Grooved pins — One-third-length centre grooved
ISO 8743:1997	Grooved pins — Half-length centre grooved
ISO 8744:1997	Grooved pins — Full-length taper grooved
ISO 8745:1997	Grooved pins — Half-length taper grooved
ISO 8746:1997	Grooved pins with round head
ISO 8747:1997	Grooved pins with countersunk head
ISO 8748:1997	Spring-type straight pins — Coiled, heavy duty
ISO 8750:1997	Spring-type straight pins — Coiled, standard duty
ISO 8751:1997	Spring-type straight pins — Coiled, light duty
ISO 8752:1997	Spring-type straight pins — Slotted, heavy duty
ISO 13337:1997	Spring-type straight pins — Slotted, light duty

3.16 Rivets

ISO 1051:1999	Rivet shank diameters
ISO 14588:2000	Blind rivets — Terminology and definitions
ISO 14589:2000	Blind rivets — Mechanical testing
ISO 15973:2000	Closed end blind rivets with break pull mandrel and protruding head — AIA/St
ISO 15974:2000	Closed end blind rivets with break pull mandrel and countersunk head — AIA/St